



NRC Publications Archive Archives des publications du CNRC

Sustainable Development of Cement and Concrete - IT Provides a Path from Research to Practice

Kondratova, I.; Goldfarb, I.; Bremner, T. W.

This publication could be one of several versions: author's original, accepted manuscript or the publisher's version. / La version de cette publication peut être l'une des suivantes : la version prépublication de l'auteur, la version acceptée du manuscrit ou la version de l'éditeur.

Publisher's version / Version de l'éditeur:

2002 International Congress Challenges of Concrete Construction Conference (2) Sustainable Concrete Construction., pp. 88-94, 2002

NRC Publications Record / Notice d'Archives des publications de CNRC:

<https://nrc-publications.canada.ca/eng/view/object/?id=af961992-df6c-4d62-99af-4b5a9760c48e>

<https://publications-cnrc.canada.ca/fra/voir/objet/?id=af961992-df6c-4d62-99af-4b5a9760c48e>

Access and use of this website and the material on it are subject to the Terms and Conditions set forth at

<https://nrc-publications.canada.ca/eng/copyright>

READ THESE TERMS AND CONDITIONS CAREFULLY BEFORE USING THIS WEBSITE.

L'accès à ce site Web et l'utilisation de son contenu sont assujettis aux conditions présentées dans le site

<https://publications-cnrc.canada.ca/fra/droits>

LISEZ CES CONDITIONS ATTENTIVEMENT AVANT D'UTILISER CE SITE WEB.

Questions? Contact the NRC Publications Archive team at

PublicationsArchive-ArchivesPublications@nrc-cnrc.gc.ca. If you wish to email the authors directly, please see the first page of the publication for their contact information.

Vous avez des questions? Nous pouvons vous aider. Pour communiquer directement avec un auteur, consultez la première page de la revue dans laquelle son article a été publié afin de trouver ses coordonnées. Si vous n'arrivez pas à les repérer, communiquez avec nous à PublicationsArchive-ArchivesPublications@nrc-cnrc.gc.ca.





National Research
Council Canada

Conseil national
de recherches Canada

Institute for
Information Technology

Institut de technologie
de l'information

NRC - CNRC

Sustainable Development of Cement and Concrete - IT Provides a Path from Research to Practice *

Kondratova, I., Goldfarb, I., Bremner, T.W.
September 2002

* published in Proceedings of the 2002 International Congress Challenges of Concrete Construction Conference (2) Sustainable Concrete Construction. University of Dundee, Dundee, Scotland, United Kingdom, September 5-11, 2002. pp. 88-94. NRC 45793.

Copyright 2002 by
National Research Council of Canada

Permission is granted to quote short excerpts and to reproduce figures and tables from this report, provided that the source of such material is fully acknowledged.

**Sustainable Development of Cement and
Concrete – IT Provides a Path from
Research to Practice**

ABSTRACT Current developments in Information Technology are rapidly changing the ways in which we communicate research results by enabling timely technology transfer to industry. This paper presents a computer database and a Web-based information system that were developed to efficiently disseminate the results of long-term CANMET and US Army Corps of Engineers studies on the durability of concrete, incorporating supplementary cementations materials. Both information systems help visualize the results of extensive field studies and provide decision support for the design of durable and environmentally friendly concrete for marine projects. The paper discusses some issues associated with the design and use of these information systems. The authors also stress the need to create a virtual collaborative environment for concrete researchers all over the world, that would promote the use of supplementary cementing materials to the construction industry, while at the same time facilitating global cooperation in the area of sustainable development of cement and concrete.

Keywords: Information technology, Web-based information systems, Databases, Decision support, Supplementary cementing materials, Concrete durability, Marine concrete.

I L Kondratova is a Professional Engineer and a Research Officer with the NRC Institute for Information Technology – e-Business in Fredericton, New Brunswick, Canada. Her research focuses on e-Business and applications of Information Technology in Civil Engineering.

I Goldfarb is a Multimedia Instructor for the Faculties of Art and Education, University of New Brunswick, Fredericton, Canada. His research is in the area of Educational Multimedia.

T W Bremner is an Honorary Professor of Civil Engineering at the University of New Brunswick, Fredericton, Canada. He is conducting research on durability of concrete, use of supplementary cementing materials and corrosion of reinforcement.

INTRODUCTION

The world needs environmentally friendly concrete. We strive to reduce the construction industry's contribution to global warming and at the same time, utilize accumulated amounts of industrial by-products. These by-products could be used as valuable additives or replacement for high energy content Portland cement, which represents 42% of the total concrete production energy cost [1].

In 1995, the global production of cement was about 1.4 billion tonnes. Considering that the production of every tonne of Portland cement contributes about 1 tonne of CO₂ into the atmosphere, this means that the annual cement manufacture contribution to the global warming is about 1.4 billion tonnes of CO₂ [2]. The 1997 Kyoto Protocol calls for countries to reduce their collective emissions of greenhouse gases (including CO₂) by 5.2 per cent below 1990 levels by 2012. For Canada specifically, the goal is to reduce emissions by 6 per cent below 1990 levels between by 2012, an annual emission target of 565 mega tonnes CO₂ equivalent [3].

CANMET RESEARCH ON SUPPLEMENTARY CEMENTING MATERIALS

The CANMET has an ongoing program dealing with the long-term performance of supplementary cementing materials in concrete [4]. This program focuses on the use of fly ash, pelletized and granulated blast-furnace slag and silica fume, as a cement replacement. To make sure that supplementary cementing materials could be used in marine structures without adversely affecting the long-term durability of concrete, CANMET in 1978, began a comprehensive testing program that is still continuing. This entailed casting a series of concrete prisms, with various amounts of supplementary cementing materials, in order to identify to what extent these materials can be incorporated into concrete to produce durable marine facilities.

To evaluate the concrete, specimens (prisms 305x305x915 mm) were placed at an outdoor marine exposure facility operated by the U.S.A. Army Corps of Engineers, of Vicksburg, Mississippi. The site, located at Treat Island in Cobscook Bay near Eastport, Maine, is near the Canadian border at the entrance to the Bay of Fundy.

US ARMY RESEARCH PROGRAMS AT TREAT ISLAND

Treat Island Natural Weathering Exposure Site goes back to 1937 and is the most comprehensive long-term exposure site in the world. Today, approximately 40 test programs are active at Treat Island. Some of the variables investigated include lightweight aggregates made out of industrial by-products, supplementary cementing materials, and blended cements. Treat Island programs are administered by the United States Army Corps of Engineers, Waterways Experimental Station. Sponsors of programs include the U.S. Bureau of Reclamation, The U.S. Army Corps of Engineers, CANMET, the Construction Productivity Advancement Research program (CPAR), and private industry, with about 40% of specimens from Canadian agencies [5].

At the site, the test prisms are positioned on a rack at mid-tide level, so that they are exposed alternatively to a marine atmosphere, and immersion in seawater twice daily. The alternating

cycles of immersion and exposure to air provide over 100 cycles of freezing and thawing per year. Experience, acquired at the site over the past six decades, has shown that concrete that successfully resist these exposure conditions will normally provide good long-term performance in marine facilities.

All concrete specimens at Treat Island site are inspected each year. Inspection includes photographing, visual examination, visual rating and non-destructive testing (NDT) measurements for each specimen. NDT measurements include measuring the speed of sound through the concrete and determination of the transverse resonant frequency of the concrete prisms that give estimate of the change in the relative dynamic modulus of elasticity of concrete during the exposure. The voluminous data generated annually for the CANMET study on the use of supplementary cementing materials in concrete was normally handled manually. However, the large size of files and the need to examine the visual appearance of concrete from the photographs and consolidate that with the NDT measurement results became unwieldy, and, as a result, a multimedia computer database was developed [6].

CANMET MULTIMEDIA DATABASE

Database design

By 1995 the CANMET study generated over 10,000 units of data and more than 3000 colour photographs. To ease the handling of this large amount of data, the Canadian Federal Department of Supply and Services awarded a contract to the Materials Group at the Department of Civil Engineering, University of New Brunswick (UNB) for the development of a computer database for the CANMET specimens at Treat Island.

To provide for better data visualization capabilities, UNB researchers decided to present data as a multimedia computer database, as opposed to a text-only database. Multimedia data in the CANMET database comprises of static media, like text and historical photographs of specimens, and of dynamically linked Excel charts graphically representing annual results of NDT testing and visual evaluation. This data is updated automatically when a user starts the database. To keep the charts and the photographs current, the database design allows easy data updates after the annual inspections.

Database Management Software

In order to access and compare the accumulated research data easily and efficiently, a Microsoft® Access for Windows® 95 database management system was utilized to create a relational database with the potential to store all data records, hold photographic images and charts, and perform search and query operations. Microsoft® Access has a graphical design environment for creating and modifying tables, forms, reports, queries and macros and enables the user to place graphics in forms and reports. Thus a single record can contain a word-processing document, Excel chart and a photograph. In 1998 the database was updated to Microsoft® Access 97 version, and more recently to Microsoft® Access 2000. The additional advantage of using Microsoft database management software is that MS Access is a part of the Microsoft Office Professional, which is a standard software suite for the Federal government, is easy to use, relatively inexpensive and also readily available to industry practitioners.

User Interface Design

The database interface includes three menus. The Main menu allows the user to choose among three different formats of data presentation, and navigate to two other menus - Reports and Forms. In consultations with CANMET scientists, developers chose three data presentation formats.

Specimen comparison format

This format allows the selection of specific specimens from a table, so that the photographs of several specimens can be displayed together on a computer screen. This enables different specimens of similar age to be compared visually. Data for all specimens is presented as a table with all the essential information about the concrete specimens, including a phase of the research project, year when specimens were placed at the exposure site, age of the specimen when the photographs were taken (5, 10, 15, 20 years etc.) and details of the mixture proportions, including type and the amount of supplementary cementing materials added.

After the user chooses the specimens to review, the query is displayed in a report form (up to four specimens on one page) with an unlimited number of pages to be displayed. The report can be viewed on a computer screen and printed.

This data presentation format gives the concrete specialist a unique opportunity to view and compare, side-by-side, the visual history of different concrete mixtures, evaluate the performance of concrete specimens with supplementary cementing materials in severe marine exposure conditions, and make informed decisions about the choice of materials for a project.

Historical report format

The historical report format enables selection of a specific specimen from a table and displays photographs of it taken at 5, 10, 15, 20 and more years of exposure, along with details of the concrete mixture design. The user can choose specific specimens to review and generate a visual report on the performance of a particular type of concrete in a severe marine environment.

NDT and visual evaluation format

This format enables selection of a specific specimen from a table, with a display of the visual rating, pulse velocity and resonant frequency testing data for all years, as a graph of performance vs. years of exposure, along with a detailed description of the specimen and its most recent photograph.

NDT data presentation format allows the user to correlate the results of NDT testing expressed as a relative dynamic modulus of elasticity (durability measure) with visual appearance for a particular concrete specimen, thus expanding the range of information available for decision support on the choice of durable marine concrete.




Figure 1 NDT and visual evaluation report for a specimen

Data entry

Data entry into the database is handled through the forms that are used as index cards for every specimen with all the data entered in a convenient visual format.

The photographs of specimens exposed at Treat Island site are taken annually. Up to 1996 photographs and slides of all of the individual specimens were taken with a 35-mm film camera and then stored for future reference. In order to enter these records into the database, slides of the individual specimens needed to be digitised. Starting with the summer of 1997, a digital camera is being used for taking photographs of the specimens at the exposure site. This enables convenient storage and easy incorporation of new photographs into the database.

To provide for the ability to closely examine the condition of concrete, all the images incorporated into the database are saved with resolution that permits the image to be enlarged by 200% without degrading the image quality, as well as to be incorporated into the printed report. The downside of this approach is that the size of the database is becoming rather large and should be kept below 650 MB to allow for CD-ROM distribution.

Pulse velocity and resonant frequency testing is being done every year on-site at Treat Island during the annual inspection of the specimens. Each year this data are entered into the Excel spreadsheets that are linked to the specimen record in the database, thus the database is automatically updated with the current NDT testing results.

US CORPS OF ENGINEERS INFORMATION SYSTEM

Until last year, the findings of more than 40 various programs at Treat Island administered by the U.S. Army Corps of Engineers were not easily accessible to the engineering community and industry practitioners. Normally, to present the findings of the various research programs at the site, a visitation is scheduled on even numbered years and usually about thirty engineers, who are invited by the Corps of Engineers, attend this event. The dissemination of results of the studies completed in previous years was confined to a relatively limited number of technical papers that needed to be brought to the attention of practicing professionals and

of the construction industry. Also, most of the research programs at Treat Island rely to some extent on visual examination and the results are difficult to present in a technical publication.

Web-based Information System Design

U.S. Army Corps of Engineers were looking for better ways to disseminate the results of the Treat Island studies, and were interested in exploring how Information Technology can help them achieve this. Owing largely to the international success of the CANMET database that was presented at the First International Conference on New Information Technologies for Decision Making in Civil Engineering in 1998, the US Army Corps of Engineers invited UNB to submit a proposal for the development of a similar multimedia computer database that would visualize the results of all research programs at Treat Island and provide easy access to research findings for concrete practitioners and construction companies.

The initial plan was to develop a multimedia database using MS Access database management software, however, in consultation with US Army Corps of Engineers staff, it was decided to create a web-based information system instead, that would be easier to use and maintain, and that would provide worldwide access to the research findings at the Treat Island exposure site.

Site architecture

Currently the Treat Island Web-based durability information system [7] contains information on 37 long-term research projects, including studies on the use of supplementary cementing materials for marine concrete (CANMET); high strength and high performance concrete, supplementary cementing materials to lower cement consumption, and high-performance repair materials for concrete structures (US Army Corps of Engineers); concrete corrosion inhibitors and epoxy coatings (University of New Brunswick and Master Builders); and high performance semi-lightweight concrete (Exxon Mobil).

The architecture of the US Army Corps of Engineers site was chosen so as to allow users to get the information they need with as few clicks as possible. The Main page of the Natural Weathering Exposure Station Treat Island web site allows easy information navigation through the links to the individual research programs. The user can also visually locate specific specimens using maps of the exposure rack and the beach, and find the information using keywords option.

Each research program is presented using a general description and a photograph, with a link to a data page, which includes thumbnail photographs of the specimens involved in the program and, in turn, leads to the third and fourth design layers, which give information on the concrete mixture design, non-destructive testing data, and photographic record of test specimens. To enhance the user experience and ease the navigation, the developer used standard page formats and kept pages consistent, so as, to allow the user to understand the common format and then use it efficiently.

DISCUSSION

Research shows that concrete as a construction material has the advantage of being an environmentally friendly material, due to its low maintenance, low energy consumption, and potential to act as a sink for liquid combustible hazardous and silica rich industrial wastes [8]. However, to transfer “green” concrete technology to the industry, the concrete research community should aggressively promote the environmental benefits of concrete.

Today in the Information Technology Age, the easiest and the most effective way to do this is to disseminate the research findings on the excellent durability of concrete incorporating industrial by-products using the Internet as a medium. The advantages of using a web-based format to present findings of scientific research are enormous.

Firstly, the information is available anytime, anywhere and the user does not require special training, just basic Internet skills, to access the information. Another advantage is that the information posted on the Web is available at no additional cost to all the construction companies that have Internet connection, and, according to a recent survey on the impact of information technology on the Canadian construction industry [9], the industry has quickly jumped on the Internet bandwagon since it became popular in 1995. The survey found that that 86% of the architectural firms, 97% of the engineering firms, and 83% of the contractors surveyed are connected to the Internet. Thus, the Internet is rapidly becoming a natural communication medium for efficient technology transfer to the construction industry.

The Natural Weathering Exposure Station Treat Island Web-based Information System was first presented to the audience of engineers and concrete scientists during the semi-annual inspection at Treat Island in August of 2000 and received excellent comments from the audience. However, more work needs to be done on promoting the US Corps of Engineers Treat Island Web site to the construction industry in Canada and U.S.A. and to concrete practitioners worldwide. So far, even a site search engine on the U.S. Army Corps of Engineers Web site cannot find the database. As a result, all the valuable information on the beneficial use of supplementary cementing materials in concrete is still available only to the invitees to the semi-annual Treat Island inspections, or through the published research reports and papers by CANMET and US Army Corps of Engineers.

CONCLUSIONS

According to Mehta, “...the greatest challenge that the concrete industry faces during the 21st century is to achieve a sustainable pattern of growth” [10]. The task is tremendous, but we can accomplish this by making an industry-wide paradigm shift to the culture of conservation of energy and materials. Research on “green” concrete is being done in a large number of countries and the results are largely positive, but what seems to be lacking is the dissemination of this knowledge to a broader audience [8]. This could be accomplished by establishing an Internet Portal for Environmentally Friendly and Sustainable Cement and Concrete Industry that would facilitate collaborative information exchange between concrete researchers on the use of industrial by-products in concrete, and provide information on the current state-of-the-art of environmentally friendly concrete with respect to strength and durability. Both, CANMET and the US Army Corps of Engineers concrete durability information systems potentially could form an essential part of this “green” concrete forum.

ASKNOWLEDGEMENTS

The authors would like to acknowledge the support provided for the projects by the Canadian Federal Department of Supply and Services, CANMET and the US Army Corps of Engineers.

REFERENCES

- 1 MALHOTRA, V.M, BERRY, E.E, WHEAT, T.A., Proceedings, Seminar on energy and resource conservation in the cement and concrete industry, CANMET, Ottawa, Canada, 1976.
- 2 MALHOTRA, V.M., Making concrete “greener” with fly ash, Concrete International, Vol.21, No.5, May 1999, pp.61-66.
- 3 Wilkinson, C., Cairns, S., Negotiating the climate, David Suzuki Foundation, 2000, 33 pp.
- 4 MALHOTRA, V.M, BREMNER T.W., Performance of concrete at Treat Island, U.S.A.; CANMET investigations, ACI Special Publications, SP-163, 1996, pp.1-52.
- 5 FARNY, J., Treat Island, Maine – the Army Corps’ outdoor durability test facility, Concrete Technology Today, PCA, Vol. 17, No.3, December 1996, pp.1-3.
- 6 KONDRATOVA, I, BREMNER, T, GOLDFARB, I, MALHOTRA, V. M., Computer database for concrete specimens at a marine exposure site, Proceedings of the First International Conference on New Information Technologies for Decision Making in Civil Engineering, Vol.2, October 1998, pp. 803-811.
- 7 U.S. ARMY CORPS OF ENGINEERS, Natural Weathering Exposure Station Treat Island, Engineer Research and Development Center Geotechnical and Structures Laboratory, 2001,
http://www.wes.army.mil/SL/TREAT_ISL/index.html
- 8 BREMNER, T. W., Environmental aspects of concrete: problems and solutions, Proceedings of the First all Russian Conference on Concrete and Reinforced Concrete, 2001, pp.232-246.
- 9 RIVARD, H., A survey on the impact of information technology on the Canadian architecture, engineering and construction industry, Electronic Journal of Information Technology in Construction, Vol. 5, 2000,
<http://www.itcon.org/2000/3>
- 10 MEHTA, K., Reducing the environmental impact of concrete, Concrete International, Vol., October 2001, pp.61-66.